



Your Trusted Partners For Sourcing Solutions

✉ Email: ibrahimk364@gmail.com ☎ +92-300-0300774 📞 +971 52 108 0649



About Us

Indus Bridge FZC-LLC: Bridging Sourcing Solutions for Rotational Molders and Construction

Indus Bridge FZC-LLC is a leading general trading company based in the United Arab Emirates, specializing in customized sourcing solutions for rotational molders and construction industries. With a strong focus on quality and reliability, Indus Bridge has established itself as a trusted partner for businesses across Europe, Australia, and North America.

Core Products and Services:

Indus Bridge's extensive product portfolio encompasses a diverse range of items catering to the needs of rotational molders and construction companies. Their key offerings include:

Water Tank Lids:

Indus Bridge supplies high-quality water tank lids, ensuring secure and durable storage for various applications.

Rubber Gaskets: The company provides a wide selection of rubber gaskets, offering superior sealing and protection for various industrial and construction purposes.

Portable Toilet Accessories:

Indus Bridge supplies a comprehensive range of portable toilet accessories, ensuring comfort and hygiene in temporary sanitation setups.

Spray Tank Accessories:

The company provides a variety of spray tank accessories, enhancing the functionality and efficiency of sprayers used in agriculture and other industries.

Rockers for Children:

Indus Bridge offers a range of safe and durable rockers for children, promoting playtime and development.

Lights and Poles:

The company supplies a variety of lights and poles, providing illumination solutions for various indoor and outdoor settings.

Portable Wash Basins:

Indus Bridge offers a selection of portable wash basins, ensuring hygiene and convenience in various locations, including construction sites and outdoor events.

Sourcing Expertise:

In addition to providing a diverse range of products, Indus Bridge is actively engaged in sourcing polyethylene raw materials for local manufacturers in Pakistan. Their expertise extends to importing LLDPE for rotational molding and PE 100 for manufacturing HDPE pipes, contributing to the growth of Pakistan's plastics industry.

Global Reach and Commitment:

Indus Bridge has established a strong presence in the global market, exporting its products to numerous countries in Europe, Australia, and North America. The company is committed to delivering high-quality products and services, fostering long-lasting partnerships with its customers.

Indus Bridge FZC-LLC: Your Trusted Partner for Sourcing Solutions

Indus Bridge FZC-LLC is the ideal partner for rotational molders and construction companies seeking customized sourcing solutions. With its extensive product portfolio, strong sourcing expertise, and global reach, Indus Bridge is committed to providing exceptional value and customer satisfaction.



INDUS BRIDGE FZ-LLC

Water Tap / Spigot



XTW F10



XGW F20



XTW 310

PORTABLE TOILET ACCESSORIES



Sink Drain



Flush Fitting



Hose Connectors



Handles



Suction Filter
(For Grey Water
Recirculating System)



Paper Towel Dispenser
XDD C20



Suction Hose & Cap
(For Hand Wash Station
Grey Water Tank)



INDUS BRIDGE FZ-LLC

Small Foot Pump



1/2" Hose Connection
XPF G20-14



Quick Connection
XPF G20-q



3/8" Hose Connection
XPF G20-9

Large Foot Pump



High Profile Large Foot Pump
XRP K30



Low Profile Large Foot Pump
XRP K40

Hand Pump



Single Elbow
XPH 320



Double Elbow
XPH 310



Low Profile Hand Pump
XPH 340



High Volume Hand Pump
XPH 330



INDUS BRIDGE FZ-LLC

Lid & Rings




250mm / 8" Lid & Ring
Non Vented



250mm / 8" Lid & Ring
with 2" Labyrinth Vent



250mm / 8" Lid & Ring
with 1" Screw Vent



350mm / 12" Lid & Ring
with 2" Labyrinth Vent




350mm / 12" Lid & Ring
Non Vented




350mm / 12" Lid & Ring
with 4" Removable Hatch



300mm / 10" Lid & Ring
Quarter Turn (Twist Lock)



450mm / 18" Hinged
Lid & Ring (Lock Arm)



450mm / 18" Hinged
Lid & Ring (Pad Lock)



450mm / 18" Lid
Bolt On



450mm / 18" Lid & Ring
with 4" Removable Hatch



450mm / 18" Lid & Ring
Non Vented



450mm / 18" Lid & Ring
With Cover Vent



620mm / 24" Lid
with 4" Removable Hatch



620mm / 24" Lid & Ring
Non Vented




620mm / 24" Lid & Ring
with Cover Vent



INDUS BRIDGE FZ-LLC

Lid & Rings



Size		Options	Part #	Dimensions			
mm	Inches			Dim A		Dim B	
				mm	Inches	mm	Inches
250	8	Non Vented	XTB 120	215	8.4	255	10
		With 2" Labyrinth Vent	XRH C20				
		With Cover Vent	XSH H10				
		With Screw-In 1" Vent	XSH H20				

300	10	Quarter Turn (Twist Lock)	XRH 710	273	10.7	320	12.6
-----	----	---------------------------	---------	-----	------	-----	------

350	12	Non Vented	XTB 130	320	12.6	350	13.7
		With 2" Labyrinth Vent	XRH C10				
		With 4" Removable Vented Hatch	XEH 640				
		With 4" Removable Non Vented Hatch	XEH 630				

450	18	Non Vented	XTB 15A	415	16.3	450	17.1
		With Cover Vent	XDH 710				
		With 4" Removable Vented Hatch	XEH 610				
		With 4" Removable Non Vented Hatch	XEH 620				
		Bolt On Type	XDH A10	-	-	480	18.9

450	18	Hinged with 2" Labyrinth Vent	XRL C10	405	15.9	460	18.1
		Hinged, Pad Locakable, 3" Labyrinth Vent	XEL 610				


620	24	Non Vented	XTB 140	560	22	600	23.6
		With Cover Vent	XPH D10				
		With 4" Removable Vented Hatch	XRH 610				

Accessories	Part #			
	for 250mm / 8"	for 350mm / 12"	for 450mm / 18"	for 620mm / 24"
Rubber Gaskets	RTB 121	RTB 131	RTB 15A	RTB 141
SS Strainers	XDS 140	XCS H20	XCS H10	XES 210
Nylon Strainers	XRS 710	XRS 730	XRS 720	-




INDUS BRIDGE FZ-LLC

Sprayer Tank Accessories



Hinged Lids (Vented)
(with locking option / Upto 450mm)



Hatch & Base (Vented)
(Upto 600mm)



Hatch & Base (Non Vented)
(Upto 600mm)



Nylon Strainer
(Upto 480mm)



Float Ball Level Indicator
(Upto 5m length)



Spiral Level Indicator
(Upto 1m length)



Mechanical Level Indicator
(Upto 3m length)



Gauge Bung



Bulk Head Fitting
(0.75" to 3")
Left Hand & Right Hand Thread



Spin Weld Outlet
(0.75" to 2")
Male & Female Thread



Steel Bracket with Knob



Vented Cap



Water Tap





INDUS BRIDGE FZ-LLC

Sprayer Tank Accessories

Picture	Drawing	Sizes	Part #	Material	Dimension A (mm)	Dimension A (mm)
Lid and Ring - Non Vented (With Optional Rubber Seal / Gasket)						
		620mm / 24" (Non Vented)	XTB 140	PP	565	600
		450mm / 18" (Non Vented)	XEL 610	PP	415	450
		350mm / 12" (Non Vented)	XTB 130	PP	320	350
		300mm / 10" (Non Vented)	XRH 710	PP	273	320
		250mm / 8" (Non Vented)	XTB 120	PP	215	255
		150mm / 4" (Non Vented)	XEH 630	PP	120	155
Lid and Ring - Vented (With Optional Rubber Seal / Gasket)						
		620mm / 24" (4" Labyrinth Vent Cap)	XEH 630	PP	565	600
		450mm / 18" (4" Labyrinth Vent Cap)	XEB 610	PP	415	450
		450mm / 18" Pad-Lock Lid (3" Labyrinth Vent Cap)	XEL 610	PP	405	460
		350mm / 12" (2" Labyrinth Vent Cap)	XRH C10	PP	320	350
		250mm / 8" (2" Labyrinth Vent Cap)	XRH C20	PP	215	255
		150mm / 4" (2" Labyrinth Vent Cap)	XEH 640	PP	120	155
Caps (Vented Or Non - Vented With Optional Strainers)						
		150mm / 6" (Vented / Non Vented)	XGC 710 / XGC 720	PP	6" (Modified Buttress Thread)	26
		100mm / 4" (Vented / Non Vented)	XTC 710 / XTC 720	PP	4-1/2" (Modified Buttress Thread)	25
		2" Cap (Vented / Non Vented)	XGC 510	PP	2" (Modified Buttress Thread)	19
Strainers						
		450mm / 18" Deep	XRS 720	PP / HDPE	415	
		300mm / 12" Deep	XRS 730	PP / HDPE	315	
		200mm / 8" Deep	XRS 710	PP / HDPE	215	
		150mm / 6"	STR/6/15/001	PP		
		125mm / 5"	XFF 220	PP		
		90mm / 4"	STR/4/15/001	PP		



INDUS BRIDGE FZ-LLC


Rain Water Harvesting



Float Ball Level Indicator
Upto 5m length



Spiral Level Indicator
Upto 1m length



Mechanical Level Indicator
Upto 3m Length



Gauge Bung

Top Light Guard
Upto 500mm



Leaf Strainer
Upto 600mm



Bottom Light Guard
Upto 400mm




Inter-Tank
Flexi Hose Connector
(1", 1.5", 2")
UV Stabilised



Threaded Plug
(3/4" to 3")




Overflow Outlet



Overflow Elbow Outlet
Increases tank capacity



Push Fit SS Strainer
Keeps insects out



3" x 3" Threaded Elbow



Bulk Head Fitting
(0.75" to 3")

Left Hand & Right Hand Thread



Spin Weld Outlet
(0.75" to 4")

Male & Female Thread





INDUS BRIDGE FZ-LLC

Rain Water Harvesting

Picture	Sizes	Part #	Body Material	Mesh Material
Leaf Strainers				
	600mm / 24"	XES 210	PP / HDPE	Stainless Steel
	500mm / 20"	XDS 150	PP / HDPE	Stainless Steel
	400mm / 16"	XDS 120	PP / HDPE	Stainless Steel
	300mm / 12"	XDS 220	PP / HDPE	Stainless Steel
	200mm / 8"	XDS 140	PP / HDPE	Stainless Steel
	200mm / 8" (Extended Flange)	XDS 521	PP / HDPE	Stainless Steel
Top Light Guards				
	500mm / 20"	XTT 850	PP	-
	400mm / 16"	XTT 810	PP	-
	300mm / 12"	XTT 820	PP	-
Bottom Light Guards				
	400mm / 16"	XTB 810	PP	-
	300mm / 12"	XTB 820	PP	-
Overflow Outlets				
	90mm / 3"	XCO C20	PVC	-
	90mm / 3"	XCO C10	PVC	Stainless Steel
	90mm / 3"	XCO C30	PVC	-
	4" Rubber Gasket	RRG 710	NBR	-
Downspout Rain Diverter				
	65mm / 80mm Downspout Rain Diverter	XCR 410	HDPE	-



INDUS BRIDGE FZ-LLC

Spin Welds

Heavy Duty Super Spin Welds



2"

1-1/2"

1-1/4"

Raised Spin Weld




2" Raised HD

2" Raised

1-1/4
Raised HD

1/2"
Raised HD

Flush Spin Welds



3" NPT Thread

2" NPT Thread

1-1/4"
NPT Thread

1" NPT Thread

3/4" NPT Thread

1/2" NPT Thread

Customized Spin Welds



39mm Male & Female
Buttress thread
Spin Weld

2" Male Spin
Weld & Cap

Blank Spin Welds



3.4" OD Patch
With 2.2" Pilot

2.3" OD Patch
With 1.5" Pilot

2" OD Patch

55mm OD Patch

54mm OD Patch

1.9" OD Patch
With 1.4" Pilot

1.9" OD Patch
With 0.9" Pilot

1.3" OD Patch
With 0.7" Pilot

34mm OD Patch

0.875" OD Patch
With 0.35" Pilot



INDUS BRIDGE FZ-LLC


Liquid Level Gauges




Mechanical Level Gauge
Side Viewing
2" x 1.5" Male Threaded
Plastic or Aluminum Header



Spiral Level Gauge
Top Viewing
2" x 1.5" Plastic Header



Magnetic Level Gauge
Top Viewing
Bolt-On Plastic Header



Spiral Level Gauge
Top Viewing
Non-Condensating
2" Male or Female Header



Spiral Level Gauge
Side Viewing
2" x 1.5" Male Threaded
Plastic or Aluminum Header



INDUS BRIDGE FZ-LLC

Female Threaded Cap

Fuel Caps



3" Vented & Non Vented



2-1/4" Vented & Non Vented



1-1/4" Cap



1-1/2" Cap

High Temperature & Pressure Cap

Custom Tread Caps



2" Cap



4" Non Vented Cap



6" Transparent Cap



7" Heavy Duty Cap

Standard Buttress Thread Caps



6" Vented & Non Vented Cap



6" Chemical Tank Cap With 2" Vent



8" Vented & Non Vented Cap



INDUS BRIDGE FZ-LLC

Inspection Lids

Gloss Finished Threaded Lid & Ring

(Available In White & Black Color)



8" Lid & Ring



6" Lid & Ring



5" Lid & Ring



4" Lid & Ring

Quarter Turn Lid & Ring

(Available With Lanyard Of Your Choice)



2" Cap



4" Non Vented
Cap



6" Transparent
Cap



7" Heavy Duty
Cap

Hinged Lid & Ring



6" Vented & Non
Vented Cap



6" Chemical Tank
Cap With 2" Vent



INDUS BRIDGE FZ-LLC

Multi-Compartment Fuel Tanker Accessories

Vapor Recovery Cap



Gun Metal Adaptor



2" Pressure Vacuum Vent (Plastic)



2" Pressure Vacuum Vent (SS)



API Dust Caps



Rubber Seals






INDUS BRIDGE FZ-LLC

Multi-Compartment Fuel Tanker Accessories

Rubber Dust Plugs



Rubber Bumpers




Push Pull Plugs



Multi Function Knobs



Arm Guard



Fuel Caps





INDUS BRIDGE FZ-LLC

Vents



1" Labyrinth Vent With Nute And SS Screen



2" Mushroom Vent With MPT



2" Labyrinth Vent With Nute



2" Float Ball Vent



2" Vent With Locking Screw



2" Vent With MPT



2" Vent With Nut and SS Screen



2" Vent With SS Screen and MPT



3" Vent With Nut and SS Screen



INDUS BRIDGE FZ-LLC

Left Hand Thread Bulk Head Fitting With Female Thread



3" Left Hand Thread BHF



2" Left Hand Thread BHF



1" Left Hand Thread BHF



3/4" Left Hand Thread BHF

Outlet Fitting With Male Thread



2" Outlet



1-1/2" Long Outlet



1-1/2" Short Outlet



1" Outlet



Your Trusted Partners For Sourcing Solutions

✉ Email: ibrahimk364@gmail.com ☎ +92-300-0300774 📞 +971 52 108 0649

📍 F0FF0014 Compass Building, AL Shohada Road, Al Haram Industrial Zone-FZ, Ras Al Khaimah, United Arab Emirates